DECLARATION OF PERFORMANCES

N° 124013424GB

1. Unique identification code of the product-type :

FUMISTERIE EMAILLÉE

Metal connecting flue pipes - EN 1856-2 : 2009

2. Intended use/es :

Convey the products of combustion from appliances to an existing chimney or lining

3. Manufacturer :

POUJOULAT SA - CS 50016 - 79270 SAINT-SYMPHORIEN, France

4. Authorised representative :

Not applicable

5. System/s of AVCP :

System 2+: Metal flue liners, connecting flue pipes and fittings

6a) Harmonised standard :

EN 1856-2 : 2009

Approved body/ies :

Istituto GIORDANO (n°0407)

7. Declared performance/s :

EN 1856-2 : 2009
Ø 80 T600 N1 D V2 L80050 G(800) M T600 N1 D V2 L80050 G(375) NM T600 N1 W V2 L80050 G(375) NM Ø 100 T600 N1 D V2 L80050 G(800) M T600 N1 D V2 L80050 G(375) NM T600 N1 W V2 L80050 G(375) NM Ø 120 T600 N1 D V2 L80050 G(800) M T600 N1 D V2 L80050 G(375) NM T600 N1 W V2 L80050 G(375) NM Ø 130 T600 N1 D V2 L80050 G(800) M T600 N1 D V2 L80050 G(390) NM Ø 140 T600 N1 D V2 L80050 G(800) M T600 N1 D V2 L80050 G(420) NM Ø 150 T600 N1 D V2 L80050 G(800) M T600 N1 D V2 L80050 G(450) NM Ø 180 T600 N1 D V2 L80050 G(800) M T600 N1 D V2 L80050 G(540) NM Ø 200 T600 N1 D V2 L80050 G(800) M T600 N1 D V2 L80050 G(600) NM

Essential characteristics	Performance	Harmonised technical specification
Installed length	Ø 80 (79,5), 100 (99,5), 120 (119,5), 130 (129,5), 140 (139,5), 150 (149,5), 180 (179,5), 200 (199,5) LG 250 = 190 mm LG 500 = 440 mm LG 1000 = 940 mm	EN 1856-2 : 2009
Gas tightness / Leakage	Pass N1 (<2 l/s.m² - 40 Pa)	
Sootfire resistance	Only connecting flue pipe : Ø80 -> Ø120 => T600 G375 Ø130 => T600 G390 Ø140 => T600 G420 Ø150 => T600 G450 Ø180 => T600 G540 Ø200 => T600 G600 With "Ventilated cover pipe" => T600 G "1 x Ø"	
Flow resistance	In compliance with EN 13384-1	
Condensate penetration resistance	D	
Corrosion resistance	V2 Vm (L80)	
Freeze thaw resistance	Pass	

The performance of the product identified above is in conformity with the set of declared performance/s. In accordance with Regulation (EU) No 305/2011, this declaration of performance is drawn up under the sole responsibility of the above-mentioned manufacturer.

Signed for and on behalf of the manufacturer by :

Erwan CRENN

At Saint Symphorien, on 23/08/2024

